

GENIUS TOOLS Starter

9.0.1.0

Installation and Administration

© 2022 INNEO Solutions GmbH



1	Preliminary Remarks	3
1.1	Scope of delivery	3
1.2	Licenses	3
1.3	Important Terms	4
1.4	Installation Philosophy	6
1.5	Installation Scenarios	8
1.5.1	Standard scenario	8
1.5.2	Caddepot on file server	9
1.5.3	Caddepot on local computer	9
2	Requirements	11
2.1	Hardware and software requirements	11
2.2	User rights	13
3	Installation Process	15
3.1	Software setup	15
3.2	Data setup	16
4	Update process	17
4.1	Updating Creo data packages and resource folder	18
5	Setting up user computers	20
5.1	Administration computer	20
5.2	Application computer	21
6	Customizing the Starter environment	23
6.1	Start parameters	23
6.2	Environment variables	24
6.3	Batch files	28
7	Test environment	31
7.1	Creating a test environment	31
7.2	Test environment in a different Caddepot	32
7.3	Local test environment	32
8	GENIUS TOOLS Environment Administrator	33
8.1	Usage	33
8.2	Creating an operating environment	36
8.3	Adding components to an operating environment	38
8.4	Updating software in an operating environment	42
8.5	Modifying settings	44
8.6	Migrating Power Extensions environments	46
9	GENIUS TOOLS Starter Service	50

9.1	Installation	50
9.2	Working with satellites	51
9.2.1	Operating active satellites	53
9.2.2	Operating passive satellites	59
9.2.3	Deleting satellites	62
9.3	Overview of satellites in browser	62
10	Directory structure	66
11	Glossary	69
12	Copyright	76

1 Preliminary Remarks

The GENIUS TOOLS Starter software can be installed independently or in conjunction with the Startup TOOLS. Basically, the procedures for installation, updates and administration are the same.

The special process for the migration of the Startup TOOLS 20xx is described in a separate document *Startup TOOLS Migration to version 6.pdf*

1.1 Scope of delivery

The setup file *setup-Startup-TOOLS-x.x.x.x-software.exe* contains the two software products GENIUS TOOLS Starter and GENIUS TOOLS for Creo (located in the GENIUS TOOLS Starter environment).

Please note: There are also so-called data setups *setup-Startup-TOOLS-x.x.x.x-data-creox.exe* for the different Creo releases.

These are needed in two types of situations:

1. Start environment for customers who have not worked with Creo Parametric before.
2. Comparative environment for customers who update to new Creo releases. The comparison is done manually with additional comparison or synchronization tools. The previous working environment is compared to the installed data from the install depot or a new working environment set up for test purposes.

Warning: You cannot create or update work environments with the setups of GENIUS TOOLS Starter. All setups unpack their data into the directory *installdepot* under the installation directory according to their versions.

The directory *installdepot* contains the program GENIUS TOOLS Environment Administrator (*gtsa.exe*) in the subdirectory *gtsa-latest*. This program can be used to create work environments, to update software in them and to change properties.

1. Setups write to the *installdepot*.
 2. The GENIUS TOOLS Environment Administrator from the *installdepot* is used to create or to update work environments.
-

1.2 Licenses

A FLEXNET license is required for GENIUS TOOLS Starter. You need to install GENIUS TOOLS License Manager and enter the license there.

Please note: The license file for the Startup TOOLS contains additional license keys for GENIUS TOOLS for Creo.

1.3 Important Terms

The **installation computer** is the computer on which the setup programs are run. The installation computer houses the **installation directory**, which has to be specified during software setup. The installation directory contains the subdirectories *Caddepot*, *Installdepot* and *Mediadepot*. All setup programs unpack their data to the *Installdepot*.

The installation computer is often also the administration computer, that is, the computer that houses the central *Caddepot* directory for all application computers. The *Caddepot* can also be placed on a different computer.

The registry contains an entry that points to the installation directory:

```
HKEY_LOCAL_MACHINE\SOFTWARE\INNEO\GENIUS TOOLS Starter
```

The setup creates two network shares. You can turn off the automatic creation of shares during the setup.

Path	Share name	Remark
<installdir>	GTSTARTER	installation directory
<installdir>\caddepot	CADDEPOT	The share for the <i>Caddepot</i> contains all work environments that are the source of synchronization for the application computers.

An **operating environment** is a directory that contains all the data required for working with the desktop application. This includes configuration data, libraries, templates and additional applications. The operating environment also contains a database with all configured projects. An operating environment can contain an arbitrary number of projects.

If you work across a network, the directory for the operating environment is the *Caddepot* on the administration computer and the *Cadpool* on the application computers.

The operating environments contains the software components GENIUS TOOLS Starter, GENIUS TOOLS Starter App and GENIUS TOOLS Project Configurator of a defined version.

Caddepot is a subdirectory of the installation directory. It is the source for the synchronization of the local operating environments on the application computers, that is, the source for the local *Cadpool* directory. The *Caddepot* directory must be shared to be accessible for distributed work.

Cadpool is a directory on the application computer. It is synchronized with the *Caddepot*

directory, which is generally placed on the installation computer. The synchronization of the work environments in *Cadpool* is managed by GENIUS TOOLS Starter App.

Installdepot is a subdirectory of the installation directory that contains the release and version setups without settings and customizations. All setup programs unpack their data to this directory.

The *Installdepot* directory contains the GENIUS TOOLS Starter App (`<GTS_work_environment>\installdepot\<Version>\software\GTS.exe`) and GENIUS TOOLS Environment Administrator (`<GTS_work_environment>\installdepot\gtsa-latest\GTSA.exe`).

When you configure work environments using GENIUS TOOLS Environment Administrator, new data (GENIUS TOOLS Starter App, GENIUS TOOLS for Creo, data packages and configurations) is copied to the work environments in *Caddepot* from the *Installdepot* directory.

Warning: Always update the GENIUS TOOLS Starter App using GENIUS TOOLS Environment Administrator.

You can share the *Installdepot* to make it accessible to the administrator from any other device.

Mediadepot is a subdirectory of the installation directory. It contains setup files for different releases and versions. All setup files will unpack to the *Installdepot* directory.

The **administration computer** is a computer on which the administrative user has full write access to the *Caddepot* directory in order to manage all data on the file system level. It is the work station where GENIUS TOOLS Environment Administrator and GENIUS TOOLS Project Configurator is used.

GENIUS TOOLS Environment Administrator is a stand-alone administrative tool. It is used to create and update work environments, edit work environment properties and migrate from older versions of Startup TOOLS to version 6 and later.

GENIUS TOOLS Environment Administrator is located at
...*installdepot\gtsa-latest\gtsa-exe*.

Warning: GENIUS TOOLS Environment Administrator can only be used with work environments and Startup TOOLS software that have the same or older versions.

A **Starter project** is a project that has been created with GENIUS TOOLS Project Configurator and a software program, the required license, specific configuration and related data.

It can be selected by users in GENIUS TOOLS Starter App and opens with locally available data and a central configuration set by the administrator.

GENIUS TOOLS Starter App is a stand-alone software tool that allows users to start Creo projects. In each work environment, GENIUS TOOLS Starter App is located at
...*caddepot\lokal\software\GTS.exe*. GENIUS TOOLS Starter App also manages the

synchronization of the work environment with a central Caddepot.




GENIUS TOOLS Project Configurator is an administrative tool within the GENIUS TOOLS Starter software. It is used to configure projects and properties in a work environment. GENIUS TOOLS Project Configurator is opened from the GENIUS TOOLS Starter App. The administrator defines which users should have access to GENIUS TOOLS Project Configurator.

1.4 Installation Philosophy

Warning: You cannot create or update work environments with the setups of GENIUS TOOLS Starter. All setups unpack their data into the directory *installdepot* under the installation directory according to their versions.

The directory *installdepot* contains the program GENIUS TOOLS Environment Administrator (*gtsa.exe*) in the subdirectory *gtsa-latest*. This program can be used to create work environments, to update software in them and to change properties.

1. Setups write to the *installdepot*.
 2. The GENIUS TOOLS Environment Administrator from the *installdepot* is used to create or to update work environments.
-

GENIUS TOOLS Starter
Installation - Update - General philosophy

Work environment

Work environment - Important files


Setup -> Installdpot -> Working Environment

Path	Name	Comment
<installdir>\caddepot	Caddepot	This directory has to be shared (default name CADDEPOT). Holds all working environments.
<installdir>\installdpot	Installdpot	Required for installations and updates. Setups unpack their data here.
<installdir>\mediadepot	Mediadepot	Optional for collection of setup files.

1.5 Installation Scenarios

The descriptions in this document assume the standard installation scenario. However, there are different possible scenarios, which are described in the following section.


1.5.1 Standard scenario

The standard installation scenario uses a central Caddepot on a Windows server.

In this scenario, working environments are synchronized from a shared Caddepot to many application computers.

The Windows server is also the installation computer.

GENIUS TOOLS Starter - Installation scenario: Standard installation




Standard Installation

1.5.2 Caddepot on file server

In this scenario, working environments are synchronized from a shared Caddepot to many application computers.

An installation computer is required in addition to the Caddepot on the file server. The share for the Caddepot has to be created manually. All work environments in the Caddepot are managed using GENIUS TOOLS Environment Administrator from the installation computer.


GENIUS TOOLS Starter - Installation scenario: NAS



File Server Scenario

1.5.3 Caddepot on local computer

You can work locally. The installation computer is also the application computer. No shares are required and there is no synchronization.

GENIUS TOOLS Starter - Installation scenario: Workstation*Single Workstation*

2 Requirements

The following section describes hardware, software and permissions requirements for GENIUS TOOLS Starter.

2.1 Hardware and software requirements

GENIUS TOOLS Starter works on all computers that fulfill the requirements for Creo <% CReOVERSVON%> to Creo <% CReOVERSBIS%>.

The following requirements are the same for installation computers, administration computers and satellites.

	GENIUS TOOLS Starter		
Version	7.0	8.0	9.0
Operating system	64-bit only Windows 10 / 8.1 / 7		64-bit only Windows 11 / 10
.NET Framework	4.8 Delivered with Windows 10 -1903 (+8.1; +7) (May have to be installed separately on WIN7/8.1)		4.8 Delivered with Windows 10 -1903
Minimum screen resolution	X=1280 Y=1024		
Flexnet	INNEO Licence Manager 1.0 M050 (Flexnet) and later		
Caddepot directory (Central storage location with UNC access)	circa 1 to 5 GB for each operating environment		
Cadpool directory (Storage location on the application computer)	Sufficient storage space to set up at least one operating environment		

	GENIUS TOOLS Starter
Data synchronization using GENIUS TOOLS Starter Service	Windows computer, where the Caddepot directory is located and where a service can be installed.
Operating satellites using GENIUS TOOLS Starter Service	Communication port for REST API on installation computer and satellites. Standard: 8092 Satellites need the same storage space as the installation computer.

Supported desktop applications

1. Programs starting with project configuration
 - Creo Elements/Direct Modeling
 - Creo Parametric 2.0 - 9.0
2. If installed, these programs will start automatically (autostart):
 - Creo Elements/ Direct Drafting
 - Creo Illustrate
 - Creo Schematics
 - Creo View
 - Geomagic Design X
 - KeyShot
 - Mathcad Prime

Caddepot

Read access: All users need read access to the Caddepot for synchronization to work.

Write access: For some functions users need write access to individual directories of an operating environment in the Caddepot.

- GENIUS TOOLS Starter App feedback on the last synchronization
... \serveronly_SyncResults\
- Central user configuration files
... \userdata
- Common databases for GENIUS TOOLS for Creo name generation (has to be configured manually)

...\\serveronly\\gt_numgen

Warning: This functionality cannot be used offline.

Cadpool

Read / write access: The user needs full write access to the local Cadpool for synchronization to work.

Client computers

Write access: Write access needs to be granted to the following Creo installation directories

- if more than the standard key (e.g. *parametric.psf*) or the synchronization of the start key is wanted: to the directory that contains Creo startkeys,
- if the files *config.sup*, *config.pro*, *creo_parametric_admin_customization.ui* need to be adapted: to the directory *..\\CommonFiles\\text*

Please note: If Creo is installed into the Windows default program directory, you should not make any changes with GENIUS TOOLS Starter App. Install Creo into another directory, for example *C:\\ptc*.

2.2 User rights

Caddepot

All users have to have read access to the Caddepot for synchronization to work.

For some specific functionality, users have to have write access to individual directories within a work environment in the Caddepot.

- GENIUS TOOLS Starter App feedback on the last synchronization
...\\serveronly_SyncResults\\
 - Central user configuration files
...\\userdata
 - Common databases for GENIUS TOOLS for Creo name generation (has to be configured manually)
...\\serveronly\\gt_numgen
- Warning! This functionality cannot be used offline.

Cadpool

The user needs full write access to the local Cadpool for synchronization to work.

Application computers

Some GENIUS TOOLS Starter functionality requires write access to the Creo installation directories.

If you need to use more than the standard key (e.g., parametric.psf) or want key synchronization, the users need write access to the Creo startkeys.

The users need write access to the directory `..\CommonFiles\text` if the following files need to be adapted.

- config.sup
- config.pro
- creo_parametric_admin_customization.ui

Please note: If Creo is installed into the Windows default program directory, you should not make any changes via GENIUS TOOLS Starter App. Install Creo into another directory, for example `C:\ptc`.

3 Installation Process


Warning: You cannot create or update work environments with the setups of GENIUS TOOLS Starter. All setups unpack their data into the directory *installdepot* under the installation directory according to their versions.

The directory *installdepot* contains the program GENIUS TOOLS Environment Administrator (*gtsa.exe*) in the subdirectory *gtsa-latest*. This program can be used to create work environments, to update software in them and to change properties.

1. Setups write to the *installdepot*.
2. The GENIUS TOOLS Environment Administrator from the *installdepot* is used to create or to update work environments.

3.1 Software setup

When you execute the software setup for version 6.0 and later on the installation computer (example installation path: *C:\gtstarter*), the following directory structure is created.




Only the directory *installdepot* will contain any data. Use GENIUS TOOLS Environment Administrator (*installdepot\gtsa_latest\gtsa.exe*) to create empty work environments. You can then fill the directory structure for the work environments manually. Use GENIUS TOOLS Project Configurator to create executable projects in a work environment.

Note about Startup TOOLS

The Startup TOOLS also include data setups for different Creo releases. The data setup for the required release has to be executed so that GENIUS TOOLS Environment Administrator can add configuration and Creo data to a working environment. This also creates executable projects.

3.2 Data setup

There is a separate data setup for every Creo release from Creo 7.0. These are only delivered as part of the Startup TOOLS package. When the setup is executed on the installation computer, data is added to the Installdepot according to the selected version.



4 Update process


If setups for newer releases or versions are executed on the installation computer, the corresponding directories are created in the Installdepot.

The directory *gtsa_latest* always contains the latest version of GENIUS TOOLS Environment Administrator. Start this to update work environments.

GENIUS TOOLS Environment Administrator can update any work environment, including from different Caddepots, with the software versions present in the Installdepot.

With the GENIUS TOOLS Environment Administrator it is possible to update any working environment (also from different caddepots) with the versions of the installdepot.

Please note: The update function of GENIUS TOOLS Environment Administrator only updates the selected software GENIUS TOOLS Starter, GENIUS TOOLS for Creo, GENIUS TOOLS Config Editor and Requirement as well as the help directory in an operating environment. Updating configuration settings, configuration files and Creo data has to be undertaken manually.



After the GENIUS TOOLS Starter App has been updated in the Caddepot, the local GENIUS TOOLS Starter App is automatically updated on the application computers.

4.1 Updating Creo data packages and resource folder

Data packages for Creo Parametric are part of the Startup TOOLS product package and are primarily intended for new customers. They contain the latest INNEO state of the art that allows you to work optimally with Creo Parametric and Windchill.

- The data packages are subdirectories of the data directory, e.g. :
`<operatingenvironment>\parametric\data\sut_creo9`

The resource directory contains information for the modules GENIUS TOOLS for Creo, e. g. templates for export tables for GENIUS TOOLS Inspect or the material database for GENIUS TOOLS Material.

- The resource directory is located in the configuration directory of Creo Parametric:
`<operatingenvironment>\parametric\configuration\gt_resource_folder`.

Each customer data package contains company specific customizations, e.g. the drawing frames. Therefore, there is no automatic update function for data packages. The principle is that everything should continue to work immediately after an update of the Startup TOOLS.

Warning: An update of Startup TOOLS does not change any data in the data packages (`<operatingenvironment>\<application>\data\<datapackage>`) or the resource folder (`<operatingenvironment>\parametric\configuration\gt_resource_folder` within an operating environment.

Before updating, always check the "Important Information" section in the Startup TOOLS news document (`<operatingenvironment>\help\de\Startup TOOLS_News.pdf`).

Update process

Changes in data packages can be diverse and vary in complexity. In a simple case, a Creo Parametric symbol may be changed – in this case only one file would be affected, which can easily be transferred manually after a user check. However, if a work process is changed, e. g. the use of appearances and hatch definitions in material files, many files and configuration settings will be affected.

To update new data, resource directory and Startup TOOLS configurations, two steps are necessary:

1. Installing the new data packages:
 - The data is only unpacked into the installation repository.
 - There is no change to an operating environment.
2. Testing data packages:

- Each file that is manually transferred from the installation depot to an operating environment must be checked for its effects.
- It is recommended to use a test environment.

Extensive modifications (e. g. changes in material appearances and hatching) are best implemented together with an INNEO expert.

Update of hatching, appearances and materials

If you want to transfer changed data for hatching, appearances and material files into your own operating environment, you have to adapt various settings starting with Startup TOOLS version 9.0.1.

Hatching

Creo Parametric 4.0 introduced the default hatching format **.pat*. Before, Creo Parametric used its own format **.xch*. Starting with Creo Parametric 9.0, the default value changed from XCH to PAT.

The configuration option *default_hatch_type* must be set to the new default PAT. All Startup TOOLS XCH files are converted to PAT format and are no longer delivered as XCH files.

Appearances

When updating to version 9.0.1, the graphics library must be changed from the Creo Parametric installation directory (*..\Common Files*) to the data directory. To do so, specify the data directory in the configuration option *graphics_library_dir*: *\$GTS_DATA*.

Material files

The material files include an additional default appearance as well as a hatch definition (if different from the default line). The material file only stores the names of the appearance or hatch definition. In a Creo Parametric session, access to the definitions/files must be configured accordingly.

5 Setting up user computers

Before a working environment can be transferred to the application computers, it has to be created using GENIUS TOOLS Environment Administrator. The work environment is defined by the following settings:

- Work environment name (e.g., company short name)
- License server
- Source Caddepot directory
- Cadpool directory on the application computers

Please note: After the initial transfer of a work environment to an application computer, no further work needs to be done there. The application computer does not require maintenance as all data in the work environment is updated by the local GENIUS TOOLS Starter App, while the GENIUS TOOLS Starter App itself is updated automatically from the Caddepot.

5.1 Administration computer

Please note: Typically the first computer to receive a work environment is the administration computer for this environment. This means that the user (normally the CAD or Startup TOOLS administrator) has full write access to the Caddepot.

Each application client needs to run an initial synchronization, which means that the work environment has to be copied in full from the Caddepot directory on the administration computer to a new Cadpool directory. The copying and other initialization steps can be performed by GENIUS TOOLS Starter. To use GENIUS TOOLS Starter, start it from the Caddepot directory:

1. Start GENIUS TOOLS Starter from the work environment of the Caddepot (`<Caddepot_path>\<work_environment_name>\software\gts.exe`) on the application client (e.g., `\\<server>\<share>\<work_environment_name>\software\gts.exe`).
2. When the central `gts.exe` is started, the software recognizes that the client computer does not yet have a Cadpool directory and work environment. This triggers the following initialization actions:
 - a. Creating the local directories
 - b. Copying the work environment
 - c. Creating a desktop icon
 - d. Creating an autostart entry in the registry

- e. Stopping GENIUS TOOLS Starter (central *gts.exe*)
- f. Starting the local GENIUS TOOLS Starter (*gts.exe* from the Cadpool directory)


Synchronization status and license availability

The status line of the local GENIUS TOOLS Starter App should now look like this:




Status Line

The license status shows a full version and the synchronization status shows unrestricted synchronization.



Full Synchronisation

If the license is given as below, you need to check your license status.



Students License

Check whether the license is available or whether, for example, the license server has not been entered correctly in GENIUS TOOLS Starter.

Please note: Start *gts.exe* with the option `-gts:licDebug` to get error messages from GENIUS TOOLS License Manager.

5.2 Application computer

The initial transfer of a working environment has to be done for each application computer in the same way as for the administration computer. To start the initial transfer, call GENIUS TOOLS Starter from the work environment of the Caddepot on the application computer.

GENIUS TOOLS Starter initial call path:

`<Caddepot_path>\<work_environment_name>\software\gts.exe`

That is, for example: `\\<server>\<share>\<work_environment_name>\software\gts.exe`

You can, for example, distribute an UNC path to your users via e-mail with a short set of instructions.

A work environment can also be copied to the application computers by any Windows distribution mechanism. A desktop icon for the local *gts.exe* can also be created using an alternative tool.

6 Customizing the Starter environment

The following sections describe some options to customize your GENIUS TOOLS Starter environment.

6.1 Start parameters

You can start GENIUS TOOLS Starter App with the following parameters.

Start parameter	Description
-gts:admin	Starts GENIUS TOOLS Project Configurator
-gts:appdata	Redefines the path to the Appdata directory
-gts:debug	Activates debug logging
-gts:expcfg	Defines the location of the <i>expcfg.bat</i> file of the worker
-gts:debug	Activates debug logging
-gts:home	Sets the home directory. Example: <i>D:\gtstarter\cadpool\inneo\software\GTS.exe -gts:home=%SystemDrive%\home\%USERDOMAIN%\%USERNAME%\pro.creo3</i>
-gts:lang	Starts GENIUS TOOLS Starter App in a defined language (de/en/it/fr)
-gts:L	Sets Creo language
-gts:CL	Set language for GENIUS TOOLS Starter
-gts:licDebug	Activates debug logging for the license server (loud alarm when license problems occur)
-gts:licServer	Sets the license server
-gts:licTimeout	Defines the maximum waiting time to receive a license, in milliseconds. Entries from 1000 to 60000. Default: 10000. Setting is passed on to Creo by environment variable GT_LIC_TIMEOUT .
-gts:networkTimeout	Redefines the network timeout. Entries in milliseconds.

Start parameter	Description
-gts:noChecksum	Deactivates checksum tests during synchronization
-gts:noProjectAutostart	Prevents the project (gts:p) from being started immediately
-gts:noSync	Deactivates synchronization
-gts:p	Starts a project and filters the project list
-gts:pui	Filters the project list to a list of projects specified separated by commas (-gts:pui=pname1,pname2,pname3)
-gts:temp	Redefines path to the Temp directory
-gts:worker	Starts in Worker setting

6.2 Environment variables

Created environment variables

GTS environment variable	Description / example	Old SUT variable
GT_LIC_SERVER	contains the specifications of -gts:licServer	
GT_LIC_TIMEOUT	contains the specifications of -gts:licTimeout (maximum waiting time of a license query)	
GTFC_ADMIN		TBXADMIN
GTS_APPS_DIR	Finds the selected, application-specific directory for add-on applications. <Caddepot>\<operatingenvironment>\<application>\apps	
(GTS_CFG_LW) recommended instead: GTS_ROOT_DIR	GTS:<Cadpool>\<operatingenvironment> GTS: D:\gtstarter\cadpool\2017_latest SUT: <DriveLetter> SUT: P:	STOOLS_CFG_L W

GTS environment variable	Description / example	Old SUT variable
GTS_*_ESCAPED	Variant of a variable that prevents the variable from being erroneously being resolved, e.g. in mapkeys. (See explanation in section below.)	
GTS_CONFIGURATION_DIR	Finds the selected, application specific configuration directory. <Caddepot>\<operatingenvironment>\<application>\configuration	
GTS_COMPUTER_GROUP	Name of computer group	
GTS_DATA	Finds the selected data package directory, is from version 9.0 application specific: i. e. in Creo Parametric it has been changed from <Caddepot>\<operatingenvironment>\data\<companydata> to <Caddepot>\<operatingenvironment>\<application>\data\<companydata>	SUTDATA
GTS_DATA_LIB	Datalib directory	
GTS_ENV_NAME	Name of operating environment.	
GTS_EXECUTION_DIR	Points to the directory which contains the executed file (*.exe, *.bat, *.pdf).	
GTS_MC		SUTMC
GTS_NET_LW	Name of the first network drive.	
GTS_PLOT_CONFIG_DIR	Directory for the plot configuration of Creo Parametric	PLOT_CONFIG_DIR
GTS_PLOT_FILE_DIR	File for the plot settings of Creo Parametric	PLOT_FILE_DIR
GTS_PROEDATECODE	Version of Creo Parametric	SUT_PROEDATECODE

GTS environment variable	Description / example	Old SUT variable
GTS_PROERELEASE	Version of Creo Parametric	SUT_PROERELEASE
GTS_PROJECT_DIR	Finds the selected project directory, from version 9.0 application-specific. Path: <Caddepot>\<operatingenvironment>\<application>\configuration\projects\<projectname>	APPL_PROJECT_DIR
GTS_PROJECT_DIR_NAME	Name of project directory (until version 9.0 in GTS_PROJECT_DIR.)	
GTS_PROJECT_NAME	Name of current project	SUT_PROJECT_NAME
GTS_ROOT_DIR	Main directory of the operating environment	SUT_ROOT_DIR
GTS_SERVERONLY_DIR	Directory that exists only on the server	
GTS_SERVER_DIR	Path to the server	
GTS_SYNC_LAST	Last synchronization date	
GTS_SYNC_MODE	Synchronization mode	
GTS_TEMP	Points to the temp directory	
GTS_TRAIL_DIR	Trail directory of Creo Parametric	TRAIL_DIR
GTS_UNIT_DIR	Finds the selected unit directory, from version 9.0 application-specific. Path: <Caddepot>\<operatingenvironment>\<application>\configuration\units\<unitdirectoryname>	
GTS_UNIT_DIR_NAME	Name of the unit directory	
GTS_UNIT_NAME	Path to the unit that is selected by the user	
GTS_USER		STOOLS_USER

GTS environment variable	Description / example	Old SUT variable
GTS_USER_CONFIG_DIR	Directory that contains the personal settings of users	USER_CONFIG_DIR
GTS_USER_GROUP	Name of user group	
GTS_USER_LW	Letter of user drive	STOOLS_USER_LW
GTS_USERLONG		STOOLS_USER_LONG
GTS_USERSHORT		STOOLS_USER_SHORT
GTS_VERSION	Version of GENIUS TOOLS Starter	
GTS_WCSRVNAME	Windchill server name	STOOLS_WCSRVNAME
GTS_WCSRVURL	Url of windchill server	STOOLS_WCSRVURL
GTS_WORKING_DIR	Points to the working directory.	
LANG	Language	LANG

Created environment variables: **_ESCAPED** variant

Since version 6.0.2.0 variables are resolved in configuration files. This means that mapkeys, in which environment variables with path specifications are used, no longer worked. Therefore new variants of environment variables were introduced, in which the variable is extended with the extension **_ESCAPED**. This makes it possible to continue using variables in mapkeys and other places where resolution is undesirable.

All variables can be extended with **_ESCAPED**. In particular, the following variables are required for use in Mapkeys: GTS_PLOT_CONFIG_DIR_ESCAPED, GTS_SERVERONLY_DIR_ESCAPED, GTS_SERVER_DIR_ESCAPED, GTS_TRAIL_DIR_ESCAPED, GTS_UNIT_DIR_ESCAPED, GTS_USER_CONFIG_DIR_ESCAPED.

Affected environment variables

PTC_WF_ROOT

Environment variable that overwrites the default location of the Creo directory. (WF comes from "Wildfire", name of the predecessor product of Creo.)

PTC_WF_CACHE

Environment variable that refers to additional cache space.

PTC_SESSION_LOG_PATH

PTC_SESSION_TRACEBACK_PATH

PTC_SESSION_TRAIL_PATH

6.3 Batch files

Batch files can be run at different times during the start of a project, before or after the desktop application (e.g. Creo Parametric) has been started.

Types of batch files

Prefix	Start time	Comment
prestart_	Started before the configuration is created.	When a project is started, GENIUS TOOLS Starter calls the <i>prestart_</i> batch files before the <i>config.pro</i> files for the project are assembled.
poststart_	Started after the application has been started.	This type of batch file can be used for accessing the running Creo session with the help of additional programs.
start_	Started before the application is started.	When a project is started, GENIUS TOOLS Starter assembles the <i>config.pro</i> files for the project, then calls the <i>start_</i> batch files.
stop_	Started after the application is closed.	Please note that <i>Enable stop batches</i> has to be set to <i>Yes</i> in the Project Configurator under <i>Configuration > (Select group) > Creo Settings > Startup Settings</i> .

For Creo Elements/Direct Modeling, only start batch files can be executed.

User or computer specific batch files

GENIUS TOOLS Starter can call batch files depending on which user, user group, computer, or computer group is used to start a project. These batch files and their call sequence do not differ from the general batch files.

Use the following prefixes and be careful not to use special characters. Special characters in group names will be removed.


Batch file	Prefix (without the characters <>)	Beispiel
User- dependent	U_<Window sUsername> –	U_MUELLER_stop_copy_workspace.bat
Computer dependent	C_<Windows Computerna me>_	C_CAD13_start_map_drive.bat
Computer group dependent	CG_<NameC omputergro up>_	CG_CREO_ON C_env_set_buw.bat
User group dependent	UG_<Name Usergroup>_	UG_GruppeA_start_copy_special_config.bat

Warning: What if Creo Parametric does not start? The most common cause is that a batch file causes the Creo call to stop. If there are start issues, first check which batch file could cause the Creo call to stop.

Call hierarchy for batch files

Batch files are started in the order that they are located in the configuration layers, starting from the standard directory and ending with the users directory.

Batch files





Call hierarchy for batch files of a Starter project

7 Test environment

Use a test environment to check any changes before adding them to the productive environment. It is important for the test environment to be up-to-date with the productive environment. An exact match is only possible if the test environment is in the same Caddepot as the productive environment, as only then the Caddepot name in the GENIUS TOOLS Starter database will be the same.

Hint: Add different image files for the different work environments to the directory *_Images*. The users will be able to check their work environment at a glance. If you are using GENIUS TOOLS for Creo, you can also add information to the empty Creo graphics window.

Example

Productive environment	Test environment
\\SRVCAD01\caddepot\inneo	\\SRVCAD01\caddepot\inneo_test
	
INNEO Solution GmbH GENIUS TOOLS Starter 5.3.0.416 GENIUS TOOLS for Creo Release 5.0-nightly 2019-06-05T11:17:08Z C:\Program Files\PTC\Creo 4.0\M070\Parametric\bin\parametric.psf Working environment: inneo ← Project: c4p Data: D:\inneo\cadpool\inneo\data\sut_int_de_inneo	INNEO Solution GmbH GENIUS TOOLS Starter 5.3.0.416 GENIUS TOOLS for Creo Release 5.0-nightly 2019-06-05T11:17:08Z C:\Program Files\PTC\Creo 4.0\M070\Parametric\bin\parametric.psf Working environment: inneo_test ← Project: c4p Data: D:\inneo\cadpool\inneo_test\data\sut_int_de_inneo

7.1 Creating a test environment

Create a test environment by making a copy of the productive environment. Distribute the test environment to the test users in the same way as you would first distribute any other work environment. Afterwards, the test users' Cadpool will contain both work environments.

Hint: In order to keep the test environment up-to-date with the productive environment, use a third-party synchronization tool such as FreeFileSync in mirror mode.

To move any changes from the test environment to the productive environment, just copy the changed files. To find the changes quickly, use a synchronization tool.

Warning: The configuration database ...\\configuration\\database\\sut.db is linked to the GENIUS TOOLS Starter App software version. If you have changed the software version in the test environment, for example to test an update, remember to copy the .. \\software directory together with the database.

7.2 Test environment in a different Caddepot

It is possible in theory to create a test environment in a different Caddepot, i.e., on a different server or share, but it is not recommended. There is a Caddepot entry in the configuration database which points to the Caddepot of the productive environment. The name of the Caddepot can be changed for the test environment using GENIUS TOOLS Environment Administrator before the environment is first used. However, as soon as users have accessed a work environment, the Caddepot name cannot be changed anymore.

This means that you cannot copy the configuration database back to the productive environment from the test environment. If you need to do this, copy the test environment again after testing to have a pristine, unused environment, then change the Caddepot name using GENIUS TOOLS Environment Administrator, then copy back the database.

7.3 Local test environment

Use a local test environment if the administrator is also the only user. Copy the productive environment into a local directory, then deactivate synchronization for the copied environment using GENIUS TOOLS Environment Administrator.

Warning: Remember to reactivate the synchronization before you copy the configuration database back to the productive environment!

8 GENIUS TOOLS Environment Administrator

GENIUS TOOLS Environment Administrator is an administrative tool for managing operating environments. Use GENIUS TOOLS Environment Administrator to handle the following tasks.


1. [Create operating environments](#)
2. [Add components to an existing operating environment](#)
 - project directories (directories with *config.pro* and other project-specific files)
 - data directories
 - additional applications
3. [Update operating environments](#) (Software update for GENIUS TOOLS Starter App and GENIUS TOOLS for Creo)
4. [Modify settings for an operating environment](#) for
 - license servers
 - synchronization servers (Caddepot, Cadpool)
5. [Migrate Power Extension environments](#) (Creo Elements/Direct Modeling) into a GENIUS TOOLS Starter operating environment

The next chapters describe each function in detail.


8.1 Usage

GENIUS TOOLS Environment Administrator must be started with write access to the caddepot directory.

If you open the software from an administration computer which does not have an AppData directory, you must start GENIUS TOOLS Environment Administrator with the command `-gts:appdata=%TEMP%`.



When you select a function on the GENIUS TOOLS Environment Administrator start page, a wizard with one or more dialog pages is displayed. The inline help on the right side supports each task of the workflow.



Dialog for completing three tasks and integrated help

First, you always need to select the Caddepot. Then, the option list shows the operating environments that are available for selection.

All changes in Caddepot are stored in a database that cannot be edited by multiple users at the same time. The following hint message means that another user is working either in GENIUS TOOLS Project Configurator or in GENIUS TOOLS Environment Administrator.


Operating environment in use

User ahelp on computer AHELP has locked database of operating environment INNEO at 03.06.2022 10:00:00.

OK

Notification that the selected operating environment is currently modified by another user

User menu

To access general settings for GENIUS TOOLS Environment Administrator, click on the gear symbol  in the header.

Language: user interface language

You can switch the user interface language between English, German and French at any time. The language setting is saved and will be used the next time you start the software.

The software first starts with a German user interface if the operating system locale is set to German. For all other locale settings, the software first starts with an English user interface.

Theme: user interface color settings

The software comes with the color themes *Blue*, *Light* and *Dark*. You can switch themes at any time. The theme setting is saved and will be used the next time you start the software.

Help (F1)

Opens the software help for GENIUS TOOLS Starter. The help corresponds to this document.

Reference card

Opens a reference card for a quick overview of all functions.

Info (F12)

Shows the current GENIUS TOOLS Starter version.

Exit

Closes the software. Clicking on the *Close* button (X) in the header will minimize the program window.


8.2 Creating an operating environment

GENIUS TOOLS Environment Administrator lets you create different operating environments with just a few mouse clicks.

The function *Create* creates an empty, new operating environment. This consists of the directory structure, the GENIUS TOOLS Starter software and an empty sut.db database. All settings defined in GENIUS TOOLS Project Configurator are stored in this database file, which is located in the `<GTWorkingEnvironment>\configuration\database` directory.


If you have purchased the Startup TOOLS product package, the add-on application GENIUS TOOLS for Creo is automatically installed in the `<GTWorkingEnvironment>\parametric\apps` directory when you create a new operating environment. This provides you with an operating environment with standardized templates (start object templates, project-specific libraries, drawing frames, ModelCheck configurations), interface and function configurations for Creo (config.pro, config.sup config.ui) and many additional functions for Creo (toolkit applications).

You can add data packages and standard projects at any time thereafter via the *Add Components* function.



Creating a new operating environment

Click the *Create* symbol on the start page to start create a new operating environment.



Step 1: Define operating environment

GENIUS TOOLS Environment Administrator will find the Caddepot and Installdpot directories automatically if the software is started from a default installation setup.

Verify the paths for the Caddepot (1) and Installdepot (3) directories.

Enter a name for the operating environment (2). The name is used to create a directory of the same name in the Caddepot and setting up the directory structure there.

Select a software version (4) from the Installdepot.

Click *Next*.

Create operating environment

1 2

OPERATING ENVIRONMENT

Caddepot
\\servername\GTSTARTER\caddepot 1

Name of operating environment
INNEO 2

SOFTWARE

Installdepot
D:\gts\installdepot 3

Select software version
9.0.0.0 4

Please note: You can change the name of an operating environment any time by renaming its directory.

Step 2: Configuring license and synchronization server

The users need to connect to GENIUS TOOLS License Manager in order to use a full version of GENIUS TOOLS Starter App.

Please note: If you do not configure the synchronization settings, Environment Administrator will create a local operating environment without synchronization.

Under Source (1), enter the name of the server that GENIUS TOOLS Starter App should access to get licenses.

Under *Synchronization server settings*, define the synchronization to keep data current on the local application computers and give the users fast access to any changes.

The synchronization process is adapted to Creo in that it will not update toolkit applications as long as Creo is running. For this, the toolkit applications, such as GENIUS TOOLS for Creo, have to be located in the *apps* directory of Creo Parametric.

Enter a descriptive server name (2).

Enter the synchronization server path (3) down to the Caddepot directory. GENIUS TOOLS Starter App will add the name of the current operating environment automatically. This makes it possible to copy operating environments, for example to create test environments quickly without having to change the settings. Also, operating environments can be renamed without having to change the settings.

Create operating environment

1 2

GENIUS TOOLS LICENSE SERVER

Source
7766@localhost

SYNCHRONIZATION SERVER SETTINGS

Name
AHELP

Server Path
\\AHELP\caddepot

Target directory
C:\gts\cadpool

Synchronization interval
240

Under Target directory (4) enter the location where the Cadpool directory should be located on the application computers. If the Cadpool directory is not present yet, GENIUS TOOLS Starter will try to create it. It will also create a subdirectory named for the operating environment. You can use absolute paths or environment variables that are available on the application computers.

Enter the synchronization interval (5) in minutes. The synchronization interval defines how often GENIUS TOOLS Starter App should synchronize the data from the central Caddepot. A synchronization is also run automatically when GENIUS TOOLS Starter App is started.

The best setting for the synchronization interval depends on how often the data is changed and on how many GENIUS TOOLS Starter Apps are running at the same time. If there are many changes to the data, the interval should be shorter. If many users are accessing the Caddepot, the interval could be longer to avoid too much network load due to frequent synchronizations.

Click on *Create*.

8.3 Adding components to an operating environment

With this function you can add the following components from the installdepot to an existing operating environment.


For Creo Parametric:

- project data directory
- project configuration directory
- Toolkit applications (GENIUS TOOLS for Creo, UI)

For Creo Elements/Direct Modeling:


- TSPRO-Umgebung
- SOLIDPOWERPARTS

Please note: In order to add components, you first have to install them into the Installdepot directory from the data setups.



Adding components to an operating environment

Click the *Add Components* symbol on the start page to start the installation assistant.



Step 1: Select operating environment

First select the operating environment (2) you want to configure from the Caddepot (1).

Then select the software version (4) to use from the Installdepot (3). Select a software version that has the required components installed.

The 'Add Components' dialog box is shown with two main sections: 'OPERATING ENVIRONMENT' and 'SOFTWARE'. In the 'OPERATING ENVIRONMENT' section, there is a 'Caddepot' field with the value '\\server\GTSTARTER\cadddepot' (marked with a red circle 1) and a 'Select operating environment' dropdown menu showing 'INNEO | Version 9.0.0.0' (marked with a red circle 2). In the 'SOFTWARE' section, there is an 'Installdepot' field with the value 'C:\INNEO\installdepot' (marked with a red circle 3) and a 'Select software version' dropdown menu showing '9.0.0.0' (marked with a red circle 4). The steps are numbered 1 and 2 at the top of the dialog.

Step 2: Add CAD applications


Select the CAD application to which you wish to add components.

For Creo Elements/Direct:

- TSPRO-Umgebung
- SOLIDPOWERPARTS

For Creo Parametric:

1. data packages
2. projects (directories for standard projects)
3. toolkit applications (gtfc, ui)



Components for Creo Parametric

Data packages and toolkit applications are added separately.

Projects can be created together with the data package to be added as well as in their own.

1. Add data packages and create standard projects

All data directories for Creo Parametric from the previously selected software version in the installdepot are displayed here, e.g. D:

`\GTSTARTER\installdepot\9.0.0\parametric\data.`

Select a data package. Data packages in gray are directories that have already been copied to the caddepot once.

Enter a target name under which it should be copied in the directory data in the caddepot. (*Caddepot\<operatingenvironment>\parametric\data.*)

The target name can be overwritten.

Data packages		
Copy	Name	Target name
<input type="checkbox"/>	sut_creo7	
<input checked="" type="checkbox"/>	sut_creo8	INNEO_c8
<input checked="" type="checkbox"/>	sut_creo9	INNEO_c9_2

Data packages that have already been copied are grayed out, but can be copied again under a new name.

When selecting a data package, you can in the second step create standard projects whose settings should be adjusted afterwards in the GENIUS TOOLS Project Configurator. Here, the supplied standard projects – one standard project per Creo version with and without Windchill – are copied from the project directory (*Caddepot\<Arbeitsumgebung>\parametric\configuration\projects*) under a new name

(target project name).

If a project is grayed out, it means that it has already been copied once. It can be copied again under new name.

Project directories				
Create	Project name	Target project name	Display name	Target display name
<input checked="" type="checkbox"/>	std_sut_creo8p	INNEO_c8	Creo Parametric 8.0	INNEO - Creo Parametric 8.0
<input type="checkbox"/>	std_sut_wt_creo8p		Creo Parametric 8.0 Windchill	
<input checked="" type="checkbox"/>	std_sut_creo9p	INNEO_c9_2	Creo Parametric 9.0	INNEO - Creo Parametric 9.0
<input type="checkbox"/>	std_sut_wt_creo9p			

Projects that have previously been copied (gray) can be copied again under a new name.

The target project name is the name of the folder in the project directory and at the same time the name of the project in GENIUS TOOLS Project Configurator. The display name is the name that appears in GENIUS TOOLS Starter App. It can be changed in GENIUS TOOLS Project Configurator.

Projects

- INNEO - Creo Parametric 8.0
Productive version
- Creo Parametric 9.0
Test version
- INNEO - Creo Parametric 9.0
Productive version

Creo Start Windchill Environment

GENERAL

Project name = **Project folder**

Display name

Information

Project folder

INNEO_c8

INNEO - Creo Parametric 8.0

Productive version

INNEO_c8

2. Create standard projects

If the data packages have already been installed, standard projects can be created here as in the previous point.

Project directories					
Create	Project name	Target project name	Display name	Target display name	Data directory
<input type="checkbox"/>	std_sut_creo9p		Creo Parametric 9.0		sut_creo9
<input checked="" type="checkbox"/>	std_sut_wt_creo9p	INNEO_c9_wt	Creo Parametric 9.0 Windchill	Inneo - Creo with Windchill	sut_creo9

3. Toolkit applications

Select the toolkit application you wish to add.

- GENIUS TOOLS for Creo: Additional functions for Creo Parametric included in the products GENIUS TOOLS Library and GENIUS TOOLS Parameter.
- ui: Application that allows reloading multiple Customization.ui files.

If it is not possible to tick an application, it means that it already exists in the application-specific apps directory. The application cannot be created again.

Please note: The toolkit application GENIUS TOOLS for Creo will be automatically installed to the *parametric\apps* directory when creating a new operating environment, if you have purchased the Startup TOOLS product package.

Toolkit Application	
Copy	Display name
<input type="checkbox"/>	gtfc - GENIUS TOOLS for Creo
<input checked="" type="checkbox"/>	ui

After clicking *Add* all specified components are added to the operating environment.


8.4 Updating software in an operating environment

All software setups in GENIUS TOOLS Starter unpack their data to the Installdepot directory. You can use the *Update* function of GENIUS TOOLS Environment Administrator to update the software for GENIUS TOOLS for Creo and GENIUS TOOLS Starter App in the operating environments. This two-step process allows you to make targeted adjustments to individual operating environments. You can upgrade or downgrade to any version that is available in the Installdepot.

If you have configured synchronization, the configuration for the software update will be made in the background without the users having to stop Creo or GENIUS TOOLS Starter App. The new software version will then be used on the application computer after the next synchronization.


If you update GENIUS TOOLS for Creo, the synchronization on the application computers will only be run after Creo has been closed.

Warning: If you are using network mode, make sure that all users have closed GENIUS TOOLS Starter App and Creo, as the software cannot be updated otherwise.



Updating an operating environment

In GENIUS TOOLS Environment Administrator click the *Update* button to start the installation assistant.



Software update

First, select from the Caddepot (1) the operating environment (2) you want to configure (1).

Then select from the Installdepot (3) the new software version (4) you want to install.

Software Update

OPERATING ENVIRONMENT

Caddepot 1

Select operating environment 2

SOFTWARE

Installdepot 3

Select software version 4

UPDATE SETTINGS

GENIUS TOOLS Starter
☒ Active

GENIUS TOOLS for Creo 5
☒ Active

Tools folder
☒ Active

Under Update settings (5) you can select the components to update:

- the software GENIUS TOOLS Starter (module of Startup TOOLS),
- the software components GENIUS TOOLS for Creo (contained in the modules GENIUS TOOLS Parameter and GENIUS TOOLS Library),

Warning: An update of GENIUS TOOLS for Creo does not update the resource folder (*gt_resource_folder*). This has to be updated manually, see chapter [Updating Creo data packages and resource folder](#).

- the tools folder, which contains GENIUS TOOLS Config Editor and Requirement Check.


The update process writes a new software directory for GENIUS TOOLS Starter and updates the database. For GENIUS TOOLS for Creo, the *gtfc* directory under *apps* is re-written. The *main.cfg* file remains untouched. The tools directory is copied from the Installdepot to the Caddepot.

8.5 Modifying settings

Some settings for operating environments can only be changed using the *Modify* wizard in GENIUS TOOLS Environment Administrator. The most important one of these setting is the Caddepot path. You can also edit synchronization and licensing settings.

Please note: GENIUS TOOLS Environment Administrator only changes the standard settings, that is, the settings for the group *Standard*. If you have made individual settings for a user group or computer group, you have to change these settings using GENIUS TOOLS Project Configurator (*Configuration* > *(select group)* > *Synchronization*)

In GENIUS TOOLS Environment Administrator click the *Modify* button to start the installation assistant.



Step 1: Change license server settings

First, select from the Caddepot (1) the operating environment (2) you want to modify.

Then enter the license server settings (3). You can also deactivate the license server (4).

An inactive license server will not be used by GENIUS TOOLS Starter App. This means that you can only use home-use or educational Creo licenses.

Edit Synchronization

1 2 3

OPERATING ENVIRONMENT

Caddepot
\\server\GTSTARTER\caddepot 1

Select operating environment
INNEO | Version 8.0.0.0 2

GENIUS TOOLS LICENSE SERVER

Source
1234@licserver1;5678@licserver2 3

Active
Ja 4

Step 2: Change synchronization settings

The server path is always given down to the Caddepot directory (1).

When *Checksum verification* (2) is active, a checksum for each copied file is calculated and compared to the checksum of the file on the server. If the checksum differs, the server is queried for the file again. If checksum verification is not active, the files will just be copied.

Edit Synchronization

1 2 3

SYNCHRONIZATION SERVER SETTINGS

Name: Syncserver 1

Comment: Added automatically 2

Server path: \\Syncserver\\caddepot 3

Checksum verification: No 4

Warning: Activating checksum verification often allows significantly shorter synchronization times.

If you have moved your synchronization server, proceed as follows:

1. Create a new Caddepot and adapt the synchronization server settings in the *new* operating environment there.
2. Test the new operating environment to make sure that the configuration settings are correct and the synchronization works.
3. In the *old* operating environment, switch the synchronization server to the new Caddepot
When GENIUS TOOLS Starter App is restarted, it switches to the new Caddepot and synchronizes the data from there.

Warning: Please be extremely careful when changing the Caddepot directory in an operating environment that is already in use on multiple application computers. Wrong settings can lead to the application computers not synchronizing. However, it is still possible to change the Caddepot directory when you move a server. Create a new Caddepot, then set the synchronization path in the old operating environment to the new Caddepot. The application computers will switch over accordingly.

Step 3: Edit settings for the application computers

You can activate or deactivate synchronization between the central Caddepot and the application computer Cadpool directories (1).

Warning: If you deactivate synchronization, you permanently separate the application computers from the Caddepot. Any changes you make to the central synchronization settings or the operating environment will not be transferred to the application computers!

Under Target directory (2), specify the location of the Cadpool directories on the application computers, where the local copy of the operating environment is stored. If the Cadpool directory cannot be found, GENIUS TOOLS Starter will try to create it. A subdirectory named after the operating environment will also be created. You can use absolute paths such as *C:\Cadpool*, or environment variables that are available on the application computers, e.g., *%GTS_SYNC_DESTINATION%*.

Edit Synchronization

1 2 3

CLIENT SETTINGS

Activate synchronization: Yes (1)

Target directory: C:\INNEO\cadpool (2)

Synchronization interval (minutes): 240 (3)

Start client with windows: Yes (4)

Under Synchronization interval (3), specify an interval in minutes. The synchronization interval determines how often GENIUS TOOLS Starter App will synchronize the data. A synchronization is also run automatically when GENIUS TOOLS Starter App is started.


The best setting for the synchronization interval depends on how often the data is changed and on how many GENIUS TOOLS Starter Apps are running at the same time. If there are many changes to the data, the interval should be shorter. If many users are accessing the Caddepot, the interval could be longer to avoid too much network load due to frequent synchronizations.

If Start client with Windows (4) is activated, GENIUS TOOLS Starter App will be started automatically when the operating system is started on the application computers.

8.6 Migrating Power Extensions environments

With GENIUS TOOLS Environment Administrator 9.0.0.0 you can transfer environments for Creo Elements/Direct Modeling which are started with the Power Extensions add-on application into an existing GENIUS TOOLS Starter operating environment. This allows you to configure projects in the same way as Creo projects, i. e. define settings for different configuration levels (standard, units, projects and users).

During migration, a directory named *elements_direct* is created in an existing operating environment, as well as the subdirectories *apps*, *configuration* and *data*. The existing configuration files and data packages are transferred to this folder structure.



Step 1: Select operating environment

First select from the Caddepot (1) the working environment (2) to which you want to migrate an existing Power Extensions environment.

Then you can select the software version (4) from the installdepot (3) that contains the software setup or the components needed.

A screenshot of the 'Power Extensions Migration' application window. At the top, there are three numbered steps: 1 (highlighted in yellow), 2, and 3. Below the steps, the 'OPERATING ENVIRONMENT' section contains a 'Caddepot' text field with the path '\\servername\GTSTARTER\caddepot' (marked with a red circle 1) and a 'Name of operating environment' dropdown menu with 'INNEO' selected (marked with a red circle 2). The 'SOFTWARE' section contains an 'Installdepot' text field with the path 'C:\INNEO\installdepot' (marked with a red circle 3) and a 'Select software version' dropdown menu with '9.0.0.0' selected (marked with a red circle 4).

Step 2: Select power extension environment

You can migrate environments for Creo Elements/Direct Modeling projects which were configured with the add-on applications Power Extensions, which uses Solidpower software.

Select the existing Power Extensions directories that contain company-specific (1) and site-specific customizations (2).

If you have data packages in a Solidpower environment (3), specify the directories that contain the software (4) and the data for standard parts (5).

Power Extensions Migration

1

2

3

POWER EXTENSIONS

Corp directory 1

C:\INNEO\PEX_Config_V20.4

Site directory 2

TSPRO ENVIRONMENT

Set TSPRO environment 3

☒ Yes

TSPRO directory 4

SOLIDPOWERPARTS directory 5

Step 3: Create project

Here you can create a project that users can open with GENIUS TOOLS Starter App.

Select whether a project should be created (1) and the version of Creo Elements/Direct Modeling (2) with which the project should start.

Specify the name for the project (3).

Power Extensions Migration

1

2

3

CREO ELEMENTS / DIRECT MODELING

Create project 1

☒ Yes

Version 2


20.4

Project name 3


Result:

In the selected operating environment, the directory *elements_direct* is created with the subdirectories *apps*, *configuration*, *data* (i. e. the directory structure of GENIUS TOOLS Starter). The project is created under *elements_direct/configuration/projects* and hence visible

– in GENIUS TOOLS Project Configurator under *Projects > Application types > Projects* and



– in GENIUS TOOLS Starter App.



9 GENIUS TOOLS Starter Service

GENIUS TOOLS Starter Service provides a further type of data synchronization. The service monitors the caddepot for changes and makes this information available in the working environments in the ZIP file *gts_filetree_structure.zip*. During a synchronization process, GENIUS TOOLS Starter App only needs to load this information to detect changes and reload the data. This reduces the synchronization time significantly and will be especially useful when connection speed is slow.


GENIUS TOOLS Starter Service can be installed on the installation computer with the software update to Startup TOOLS 7.0.0.0 and later versions. It will be located in the *gts-service-latest* directory in the installation depot and will be updated automatically to the latest version. The service checks the caddepot for changes and writes these changes into the *gts_filetree_structure.zip* file in the operating environment.

9.1 Installation

GENIUS TOOLS Starter Service is installed in the *installdpot* directory with every installation. However, the service is only registered and started if this has been selected in the installation wizard for GENIUS TOOLS Starter.

To do so, open the EXE file with the path *GTSTARTER\installdpot\gts-service-latest\setup-GENIUS-TOOLS-Starter-Service-XXX-software.exe*

Check the box to register the service in the dialog *Install GENIUS TOOLS Starter Service*.




GENIUS TOOLS Starter Setup

The service will then start when Windows is started. The service is located in in directory *gts-service-latest* and must not be moved elsewhere. The service automatically finds the Caddepot which it checks for changes in data. No further configuration is needed.

Warning: The service must not be located elsewhere as it cannot otherwise find the Caddepot directory. It must be named GENIUS TOOLS Starter Service so it can be updated by the setup.

Hint: If you have not installed GENIUS TOOLS Starter Service during setup, start the file *registerService.cmd* in the directory *gtsa-service-latest* for installation. Administration rights are needed.

After installing GENIUS TOOLS Starter App open GENIUS TOOLS Project Configurator and switch the synchronization type to *Service* in *Configuration > Synchronization > Server*.



GENIUS TOOLS Project
Configurator


9.2 Working with satellites

With GENIUS TOOLS Starter 7.0.1.0 the data synchronization of GENIUS TOOLS Starter Service can be operated with satellites. The state of one or more operating environments of a central main server is mirrored on a satellite.


Business locations with a slow connection to the main server can access a more accessible satellite instead. This significantly reduces the time needed for data synchronization.

GENIUS TOOLS Starter App automatically determines which satellite or main server responds fastest based on the ping runtime. This is then used for synchronization.

Synchronization of Operating Environments: Basic Concept



Synchronization of Operating Environments: Working with Satellites



Legend

AU 1 Operating environment with GENIUS TOOLS Starter

→ Ping query

→ Synchronization from defined source

→ Synchronization from server that is available more quickly

Active and passive satellites

You may operate active or passive satellites.

An active satellite is a server that request data to be synchronized from the main server at a defined time interval. This requires GENIUS TOOLS Starter Service.

A passive satellite is a shared directory on a computer, to which data from the main server is copied. It does not require a service.

Active satellit	Passive satellite
Server	Shared folder on a computer
Requires GENIUS TOOLS Starter Service	No service required
Changes in files on the main server will be synchronized to the target with the next synchronization according to the defined time interval	Changes in files on the main server will be synchronized immediately. The defined synchronization interval serves as a back up, meaning that after this period all files will be synchronized at the latest.


9.2.1 Operating active satellites

A computer will be installed as a satellite if you specify this in a configuration file of GENIUS TOOLS Starter Service.

Follow these instruction for setting up active satellites.

Install GENIUS TOOLS Starter on main server

1. Open the setup file of GENIUS TOOLS Starter on the main server, i. e. the server where the Caddepot directory is located. The Caddepot is the synchronization source for satellites. The path to the main server is set in GENIUS TOOLS Environment Administrator.
2. In the dialog *Install GENIUS TOOLS Starter Service* check the box to register the service.



3. If port 8092 is not free, change the default value in the dialog.
4. In the next dialog check the box *Create net shares CADDEPOT / GTStarter* and finish the setup.

Result

The GENIUS TOOLS Starter Service setup creates four files under \<mainserver>\gtstarter\installdepot\gts-service-latest\conf\

- *gt_service_main.cfg* for the base configuration. This file must not be edited.
- *gt_service_<mainservername>.cfg* for the configuration of the main server. This file can be partially modified.
- *gt_service_satellite.cfg* is the copy template for active satellites. This file must be copied and renamed. (Step 8)
- *gt_service_share.cfg* is the copy template for passive satellites.

Edit configuration file for main server

5. Open the file with the name *gt_service_<mainservername>.cfg*
6. The file contains two commands that must not be changed: `service.type=main` and `service.rest.baseaddress=<mainservername>`
7. Edit the file if you want to change other information. The commands are listed in the table below.

Create configuration file for each active satellite

8. Copy the file *gt_service_satellite.cfg*
9. Rename the file to *gt_service_<passivesatellitename>.cfg*. Each active satellite requires a separate file.
10. The file contains one command that must not be changed: `service.type=satellite`
11. Add the remaining information from the table below.


Information for		Command	Explanation
Main server	Act. satellite		
X		<code>service.type=main</code>	Information, that this is the configuration file for the main server
	X	<code>service.type=satellite</code>	Information, that this is the configuration file for an active satellite
X	X	<code>service.rest.baseaddress=</code>	Enter name of main server
X	X	<code>service.sync.interval=</code>	Interval in minutes after which the active satellite will be synchronized from the main server. Default value: 60 If entries differ in the configuration files for main server and active satellite, the interval in the satellite file will be used.
	X	<code>service.sync.source=</code>	Path of the caddepot directory that will be synchronized from. Usually: \\<mainserver>\gtstarter\caddepot
	X	<code>service.update.source=</code>	Path to the gt-service-latest directory on mainserver. Usually: \<mainserver>\gtstarter\installdpot\gt-service-latest
	X	<code>service.lic.server=</code>	Address of GENIUS TOOLS License server, e. g. 7766@gtslicenseserver
X	X	<code>service.rest.port=</code>	Standard port. 8092
	X	<code>service.environment.whitelist=</code>	List of operating environments that are to be synchronized from the main server (separated by colon) Empty entry: All operating environments will be synchronized

Information for	Command	Explanation
Main server	Act. satellite	
X	service.generateMd5=1 or service.generateMd5=0	1: Synchronization of files will additionally be checked with a MD5-checksum. 0: No additional test will take place.
X	service.admin.pwd =	Password for the website which displays status and content of all satellites. Without an entry, the default password <i>admin</i> must be used.

Install GENIUS TOOLS Starter Service on the satellite


The installation of a satellite is carried out on the computer that is to function as a satellite.

- Open on the satellite computer the GENIUS TOOLS Starter Service Setup from the main server: `\\<mainserver>\gtstarter\installdpot\gts-service-latest\setup-GENIUS-TOOLS-Starter-Service-XXX-software.exe`
- In the dialog *Install GENIUS TOOLS Starter Service* check the box (1) to register the service.



- Enter the data of the main server. (2)
- If port 8092 is not free, change the default value in the dialog. (3)

15. Check if the local system account has read access to data on network drives. An administrator account with read access to the main server is required to run GENIUS TOOLS Starter Service. If the local system account does not have read access, change to another account for the service. To do this, go to *Services* in Windows and in the GENIUS TOOLS Starter Service, right-click on *Properties*. In the *Log On* tab, switch from *Local System account* to *This account* and enter the administrator account and its password. Overwrite the password dots preset by Windows.



*Log On Tab in the Services Dialog for
GENIUS TOOLS Starter Service*

Confirm in the following dialog that the account under which GENIUS TOOLS Starter Service runs has read access by checking the box.

17. In the next dialog check the box *Create net shares CADDEPOT / GTStarter* or create the net shares manually.

Result:

The setup

- creates the corresponding directory structure on the computer (caddepot/installdepot/mediadepot),
- generates the required approvals Caddepot and GTStarter (if selected),
- installs, registers and starts GENIUS TOOLS Starter Service.


GENIUS TOOLS Starter Service loads the configuration files from the main server and restarts itself.

The configuration settings are used on the satellite.

The satellites communicate their current status to the main server via an interface and can be accessed in a browser window. This allows the administrator to easily monitor the status of the satellites. (See [Overview of satellites in browser.](#))

Integrating satellites in GENIUS TOOLS Starter

18. In GENIUS TOOLS Project Configurator go to the *Resources > Synchronization Servers*. The displayed values 1 to 3 are those that have been specified in GENIUS TOOLS Environment Administrator.



Linking satellites to GENIUS TOOLS Starter

19. Enter the Web URL in the notation `http://<mainservername>:<portnummer>`. The port name is the entry under `service.rest.port=` in the configuration file (Standard: 8092)
20. The action *Create* (5) links GENIUS TOOLS Starter to GENIUS TOOL Starter Service and displays all satellites.
21. Click the link (6) for more detailed information of each satellite in a new browser window.

Synchronization type: service

22. Check that in GENIUS TOOLS Project Configurator the synchronization type is set to *Service* (*Configuration > Synchronization > Server*).

*GENIUS TOOLS Project
Configurator*

Setting up satellites for working environments

There is no need for assigning a satellite to an operating environment because the satellite or main server with the lowest ping time will be automatically used for synchronization.

Monitoring satellites

You can open a graphical overview showing the states and the operating environments of all satellites in a web browser with <http://<mainservername>:<portnumber>>, [see Overview of satellites in browser](#).

Updating satellites

Satellites are updated automatically. Software updates from GENIUS TOOLS Starter Service are uploaded to the main server via setup. With the next synchronization, the satellite server downloads the update and restarts itself automatically.

The web browser offers the possibility to update a satellite manually by pressing *Sync*, see [non-automated actions](#).

9.2.2 Operating passive satellites


A net share on a computer will be installed as a passive satellite if you specify this in a configuration file of GENIUS TOOLS Starter Service.

Follow these instruction for setting up passive satellites.

Install GENIUS TOOLS Starter on main server

1. Open the setup file of GENIUS TOOLS Starter on the main server, i. e. the server where the Caddepot directory is located. (The Caddepot is the synchronization source for satellites.)

2. In the dialog *Install GENIUS TOOLS Starter Service* check the box to register the service.



3. If port 8092 is not free, change the default value in the dialog.

4. In the next dialog check the box *Create net shares CADDEPOT / GTStarter* and finish the setup.

Result

The GENIUS TOOLS Starter Service setup creates four files under \<mainserver>\gtstarter\installdepot\gts-service-latest\conf\

- *gt_service_main.cfg* for the base configuration. This file must not be edited.
- *gt_service_<mainservername>.cfg* for the configuration of the main server. This file can be partially modified.
- *gt_service_satellite.cfg* is the copy template for active satellites.
- *gt_service_share.cfg* is the copy template for passive satellites. This file must be copied and renamed. (Step 8)

Edit configuration file for main server

5. Open the file with the name *gt_service_<mainservername>.cfg*
6. The file contains two commands that must not be changed: `service.type=main` and `service.rest.baseaddress=<mainservername>`
7. Edit the file if you want to add the information in the table below.

Configuration for main server in the file *gt_service_<mainservername>.cfg*

<code>service.type=main</code>	Information, that this is the configuration file for the main server
--------------------------------	--

<code>service.rest.baseaddress=<mainservername></code>	Enter name of main server
--	---------------------------

Configuration for main server in the file *gt_service_<mainservername>.cfg*

<code>share.sync.interval=</code>	Interval in minutes for synchronizing the target directory on the passive satellite from the main server. Default value: 480
<code>service.rest.port=</code>	Standard port. Default: 8092
<code>service.generateMd5=1</code> <code>oder</code> <code>service.generateMd5=0</code>	1: Synchronization of files will additionally be checked with a MD5-checksum. 0: No additional test will take place.
<code>debug=</code>	1: Debug logging set 0: No debugging executed (default)
<code>service.add.firewall=</code>	1: Directories on passive satellites are automatically shared (default setting) 0: Directories on passive satellites must be shared manually

Create configuration file for each passive satellite

- Copy the file *gt_service_share.cfg*
- Rename the file to *gt_service_share_<passivesatellitename>.cfg*. Each passive satellite requires a separate file.
- Add the remaining information from the table below.

Configuration for passive satellite in file *gt_service_share_<passivesatellitename>.cfg*

<code>service.share.name=</code>	Enter name of passive satellite, i. e. the shared folder on the satellite
<code>service.satellite.share=</code>	Path of the caddepot directory which is to be synchronized. Usually: <code>\\<passivesatellitename>\gtstarter\caddepot</code>
<code>service.environment.whitelist=</code>	List of operating environments that are to be synchronized from the main server (separated by colon) Empty entry: All operating environments will be synchronized

Restart Main server

- Start the service GENIUS TOOLS Starter Service on the main service fresh.

Integrate satellites, check synchronization type

12. Proceed with step 18 and following in [operating active satellites](#).

9.2.3 Deleting satellites

To delete a satellite, go to the configuration directory under `\<mainserver>\gtstarter\installdpot\gts-service-latest\conf` and delete the CFG file with the name of the satellite.

All satellites, as are created per CFG file in this configuration directory, will be listed in the web overview, as described in the [next chapter](#).

9.3 Overview of satellites in browser

An overview of all satellites and the working environments located on them can be viewed in a browser with the URL:

`http://<servername>:<portnummer>`

Alternatively, you can access the web interface in GENIUS TOOLS Project Configurator, under the main menu item *Resources > Synchronization Server > Dialog Satellites (6)*

The website can be protected by a password, see [section](#) below.

The start page contains an overview of all satellites that are known to the main server. If a service is not running or the synchronization is overdue, the satellite is framed in red. Inactive satellites that should no longer be displayed in the web overview must be deleted manually, see [Deleting satellites](#).

GENIUS TOOLS Starter Service
Number of services: 6

Label	Name	Status	Version	Start time (UTC)	Last synchronization (UTC)	Net share	Actions
Main server	SRVSUTDEV	Running	7.0.2.0	22.02.2021 11:51:15	22.02.2021 11:35:04	\\SRVSUTDEV\caddepot; C:\inneo\caddepot	
Active satellites	LPZWIN10EN	Synchronizing	7.0.2.0	2/22/2021 11:55:38 AM	22.02.2021 11:56:31	\\LPZWIN10EN\CADDEPOT;	Sync, Restart, Stop
Active satellite	SRVLEIPZIGLIC	Synchronizing	7.0.2.0	22.02.2021 12:16:04	22.02.2021 12:17:36	\\SRVLEIPZIGLIC\CADDEPOT; C:\INNEO\caddepot	Sync, Restart, Stop
Passive satellite	NAS-LEIPZIG	Running	7.0.2.0	22.02.2021 11:51:15	22.02.2021 12:18:15	nas-leipzig; \\nas-leipzig\notinbackup \caddepot_develop	Sync
Satellite unavailable	SATINDIA	Shutdown	7.0.2.0	03.02.2021 08:53:11	03.02.2021 13:28:20	\\SATINDIA\CADDEPOT; D:\inneo-gts-service\caddepot	Sync, Restart, Stop, Shutdown

Start page: Overview of the main server and all satellites

Non-automated actions on satellites

1. Sync: Initiate synchronization

Satellites and satellite shares are synchronized immediately, independently from the configured interval.

2. Restart: Restart GENIUS TOOLS Starter Service

GENIUS TOOLS Starter Service is closed and starts fresh at the satellite server.

3. Stop: End GENIUS TOOLS Starter Service

Attention: If using this option, you have to restart the service on the satellite server.

Operating environments on a satellite


By clicking on a satellite, you can view the working environments in a separate browser window. Here you can check the status of individual operating environments. The data from the *gt_filetreestructure.zip* is compared with the current data on the hard disk. If there are any differences, because e.g. data synchronization is not working or the process has been stopped, the corresponding values (number of folders, size etc.) are highlighted in red and the current value is displayed on the left.

The screenshot shows the INNEO web interface with the 'Operating Environments' tab selected. The interface displays details for a satellite named SRVLEIPZIGLIC, including its operating environments (3) and net shares. Below this, three panels are shown: 'Operating Environment' (BETA), 'Data Library' (DATALIB), and 'Operating Environment' (INNEO). Each panel lists various metrics such as Folders, Version, Last change (UTC), File count, Size, and Last updated file. In the INNEO panel, the File count (12468) and Size (1.9 GB) are highlighted in red, indicating a discrepancy with the main values (15377 and 2.2 GB respectively).

Operating Environment	Data Library	Operating Environment
BETA	DATALIB	INNEO
Folders 717	Folders 513	Folders 828
Version 7.0.1.3038	Version N/A	Version 7.0.1.3038
Last change (UTC) 22.10.2020 00:21:17	Last change (UTC) 30.10.2018 13:58:56	Last change (UTC) 22.10.2020 00:21:19
File count 13574	File count 6492	File count 12468 (Main: 15377)
Size 1.5 GB	Size 1.1 GB	Size 1.9 GB (Main: 2.2 GB)
Last updated file configuration\database\sut.db	Last updated file sut_int_de_creo4\library_dir \standards\standards.mnu	Last updated file configuration\database\sut.db


Display of operating environments and library

By clicking on an operating environment, information about it can be retrieved, e. g. which applications are available under Apps or how much data is available in the Data folder.



Configuration settings of a satellite

The *Configuration* button displays the configuration settings for the satellite under Runtime (1), which is made up of the configuration files (CFG files) of the main server (2) and the satellite (3).



Display of configuration settings of a satellite

Password protection for website

Access to the website is protected by a password. For changing the standard password *admin*, enter the command `service.admin.pwd = nameofpassword` in the configuration file of the main server (`gt_service_<mainservername>.cfg`, see [Operating active satellites](#)).

Sign in to access this site

Authorization required by http://srvsutdev:8092
Your connection to this site is not secure

Username


Password

Password query

10 Directory structure

With GENIUS TOOLS Starter you can create projects for Creo Parametric as well as Solidworks and Creo Elements/Direct Modeling. In order to be able to include data for other CAD systems in the future, the entire directory structure has been changed in version 9.0.0.

Warning: Due to these new features in GENIUS TOOLS Starter, the directory structure and the software are no longer backward compatible, which means that after updating an operating environment to version 9.0.0.0 or newer, it is no longer possible to revert to an older version. Read the chapter *Important information* in the News document before updating.



System directories of the first level

_Images contains an image or images for the operating environment as well as the start icon. The image and the icon have to use the operating environment name as their file name. The icon has to be in the icon format (ICO). See also Configuring the desktop link.

_Information contains messages to the users as text files. See also Sending messages to the users.

application directory for applications of App projects, e.g. MModel Processor.

configuration contains images and icons for units and projects, and the *sut.db* database which stores the configuration settings of an operating environment.

help contains the manuals and installation instructions for GENIUS TOOLS for Creo, GENIUS TOOLS Starter and Startup TOOLS.

serveronly is only present in the Caddepot directory. It contains additional tools such as GENIUS TOOLS Comma-to-dot or GENIUS TOOLS Purge. The subdirectory *_ErrorLog* contains log files for errors.

software contains the GENIUS TOOLS Starter software.

tools contains the software component GENIUS TOOLS Config Editor and Requirement Check, a tool which returns a log file with a list of all available applications.

userdata contains user-defined settings, e.g., mapkeys or user images. In contrast to the directory in *configuration/Users*, this directory can be managed by the user themselves. See also User-driven configuration.

The following application-specific directories are created for applications that configure starter projects:

ced_drafting Creo Elements/Direct Drafting

creo_view Creo View

elements_direct Creo Elements/Direct Modeling

geomagic_design_x Geomagic Design X

key_vr KeyVR

keyshot beinhaltet alle Daten und Konfigurationen für Keyshot.

mathcad Mathcad

parametric contains data packages, standard projects and add-on applications for Creo Parametric.

schematics Creo Schematics

solid_works Solidworks

Directories of the second level for the various applications

Each of the above listed application-specific directories has three sub-directories for data, configuration settings and add-on applications.

apps contains all additional applications.

- For Creo Parametric: the GENIUS TOOLS for Creo products Library and/or Parameter (gtfc) and the freeware tool GENIUS TOOLS UI File Loader (ui).
- It is represented by the variable GTS_APPS_DIR.

configuration contains configuration settings for system-wide standards, units, projects, users as well as further directories.

- For Creo Parametric: *gt_resource_folder*.
- It is represented by the variable GTS_CONFIGURATION_DIR.

data contains all data packages (subdirectories) available in a project, e.g., libraries, materials, ModelCheck configuration files etc.

- A subdirectory of *data* is represented by the variable GTS_DATA.

11 Glossary

Administration computer

Computer on which the administrative user has full write access to the Caddepot directory in order to manage all data on the file system level.

Application computer, workstation

Computer on which the (Creo) user works. The application computer houses the Cadpool directory, which contains the local operating environment.

Creo

Name of CAD software by PTC with the applications Creo Parametric (formerly Pro/Engineer) and Creo Elements/Direct (formerly CoCreate).

Creo startkey (also: PSF key, start command)

Configured start command that opens Creo with one or several defined licenses or license extensions. Stored as PSF file in PTC bin directory.

Cadpool

Directory on the application computer that contains the local operating environments. The Cadpool directory is synchronized from the Caddepot.

Caddepot

Directory on the administration computer that contains the central operating environment.

Client

Term for application computers for Startup TOOLS versions up to 2018.

Computer group

A defined group of configured Windows computers. Contains settings in which the computers' configuration differs from the general system-wide configuration.

Conditional configuration block

Configuration block whose validity is restricted to condition(s) by one or more tag ID(s).
Notation: `config_*.TAGID.pro`

Configuration file

File which determines settings for a Creo application. There are four types of configuration file: *config.pro*, *customization.ui*, *config.sup* and *config.val*.

Configuration block

Configuration file which is read by GENIUS TOOLS Starter and assembled to form a `config.pro` file for Creo. Contains Creo configuration options. Notation: *config_*.pro*, e. g. *config_sut_de_c5p_mapkeys.pro*.

Config.pro file (short: config.pro)

Most important Creo configuration file, defines user settings.

Config_*.pro file, config file

See configuration block.

Config.sup file

Creo configuration file which contains settings that cannot be changed by the users, e.g., to ensure drawing standards.

Config.val file

Creo configuration file which contains validation settings for data import.

Customization.ui file

Creo configuration file which contains user interface customizations for a user.

Data directory

Main directory for all data related to an operating environment at <GTS-*OperatingEnv*>\data.

Educational license

License for academic institutions.

Free tag ID

Textual marking in a [configuration block](#) which restricts the file to the selection of a combined project option.

GENIUS TOOLS

Family of software products by INNEO Solutions GmbH, including Startup TOOLS, Model Processor, and freeware tools such as Purge.

GENIUS TOOLS for Creo

Component of the Startup TOOLS software product which contains functional enhancements for Creo.

GENIUS TOOLS Environment Administrator

Stand-alone administrative tool. It is used to create and update work environments, edit work environment properties and migrate from older versions of Startup TOOLS to version 6 and later. GENIUS TOOLS Environment Administrator is located at ...
\installdepot\gtsa-latest\gtsa-exe.

GENIUS TOOLS License Manager

Administrative tools for managing Startup TOOLS licenses.

GENIUS TOOLS Project Configurator

Administrative component of GENIUS TOOLS Starter for managing project configurations and other properties of an operating environment. Open GENIUS TOOLS

Project Configurator from the user menu of GENIUS TOOLS Starter App.

GENIUS TOOLS Starter

Software product consisting of the three components GENIUS TOOLS Project Configurator, GENIUS TOOLS Starter App and GENIUS TOOLS Environment Administrator.

GENIUS TOOLS Starter App

Stand-alone component of GENIUS TOOLS Starter which lets users start configured Creo projects. GENIUS TOOLS Starter app is located in each operating environment under ...\\caddepot\\lokal\\software\\GTS.exe.

GENIUS TOOLS Starter App Config Analyzer

Dialog box in GENIUS TOOLS Starter App, in which configuration settings of projects can be analyzed and edited.

GENIUS TOOLS Starter Service

Method in GENIUS TOOLS Starter for faster data synchronization.

GTS

Abbreviation for GENIUS TOOLS Starter.

GTS.exe

Name of the executable file for GENIUS TOOLS Starter App.

GTSA.exe

Name of the executable file for GENIUS TOOLS Environment Administrator.

GTS Alias

User alias in GENIUS TOOLS Starter, for use in additional applications for Creo. The GTS alias is available as an environment variable (%GTS_USER%) in Creo. If you do not specify an alias, the Windows user name will be used.

GTS Alias Long

Long user alias. The long alias is available in Creo via the environment variable %GTS_USERLONG%.

GTS Alias Short

Short user alias. The short alias is available in Creo via the environment variable %GTS_USERSHORT%.

GTS-Config.pro variable

Variable that defines settings in a configuration block to create a company-specific project option for GENIUS TOOLS Starter App, e. g. ! gts_display_name

Home Use license

License for private use.

Initial synchronization, initialization

First synchronization run which creates the Cadpool directory on the application computer and synchronizes it with the Caddepot.

Installdepot

Subdirectory of the installation directory that contains the release and version setups without settings and customizations. All setup programs unpack their data to this directory.

Installation computer

Computer on which the setup programs are run. Typically, this is also the administration computer.

LDAP (Lightweight Directory Access Protocol)

Network protocol for accessing a distributed directory service, e.g. the Windows user management.

Mapkey

Macro defining a sequence of commands and functions which can be created in Creo to simplify often-used procedures.

Mediadepot

Subdirectory of the installation directory. It contains setup files for different releases and versions. All setup files will install or unpack to the Installdepot directory.

NAS (Network Attached Storage)

File server providing independent storage capacity in a network of computers.

NC (Numerical Control)

Computer-based applications for controlling machine tools and production lines.

Operating environment

Directory that contains all the data required for working with the desktop application. This includes configuration data, libraries, templates and additional applications. The operating environment also contains a database with all configured projects.

Operating environment, local

Operating environment on the application computer.

Organization tree

Structure of all units and subunits that specifies the call hierarchy. Created in GENIUS TOOLS Project Configurator.

Perpetual license, permanent license

License that allows using a defined version of a software for an unlimited period of time.

PDM directory

Subdirectory of the directory *standard*, *units*, *projects* and *users* which is included into the call hierarchy for configuration files and batch files if Windchill is active.

PDMLink

Component of the Windchill software product family that is used for product data management.

Power Extensions

Application from INNEO for central administration of an operating environment for Creo Elements/Direct projects.

PTC

The software company that develops Creo.

Project

See Starter project.

Project, blocked

Project that a user can neither access nor see in GENIUS TOOLS Starter App.

Projekt, hidden

Project that a user cannot see in GENIUS TOOLS Starter App, but is able to access it with a transfer parameter.

Project, invalid

Project, for which a user has no valid license or required license extensions. Access to it an display in GENIUS TOOLS Starter App can be configured.

Project directory

Directory for project data at `<GTS-OperatingEnv>\configuration\projects\%GTS_PROJECT_DIR%`

Project option

Option to select on one or more projects in GENIUS TOOLS Starter App the Creo language, Creo startkey as well as license extensions and add-on programs.

Resource directory

Directory *gt_resource_folder*, which is located in the system directory *configuration* of Creo Parametric and contains information for the modules of GENIUS TOOLS for Creo.

Role

Group of users or computers that are assigned access rights to projects and GENIUS TOOLS Starter App functionality.

Satellite (also: synchronization or mirror server)

Computer or shared folder on a computer to which the state of one or more operating

environments of a central main server is mirrored.

Searchmode directory

Name of the directory *PDM* until version 9.0.0.

Starter project

Project created in GENIUS TOOLS Project Configurator which contains company-specific data and additional applications and whose settings, such as license and project specifications, can be made in different configuration levels.

Startup TOOLS

Software package that comprises the products GENIUS TOOLS Starter, GENIUS TOOLS Library, GENIUS TOOLS Parameter, as well as Creo data packages and the GENIUS TOOLS License Manager.

Startup TOOLS Server

Term for the administration computer for Startup TOOLS versions up to 2018.

STOOLS

Root directory name for Startup TOOLS versions up to 2018.

Subscription license

License that allows using a software for a limited period of time.

Subunit

Subordinate unit created by attaching a unit to another unit in the [organization tree](#).

SUT

Abbreviation for Startup TOOLS.

Synchronization

Functionality that copies the data of an operating environment in the Caddepot directory to the Cadpool directory on an application computer.

Tag ID

Textual marking in a configuration block that is recognized by GENIUS TOOLS Starter. There are tag IDs for units ([unit tag ID](#)) and for project options ([free tag ID](#)).

TeamViewer

Third-party software used by INNEO Solutions GmbH to provide remote support.

UDF (User-defined feature)

Template for repeatedly required Creo features.

Unit

Group of users who belong to a company department defined either geographically or organizationally. Created in GENIUS TOOLS Project Configurator.

Unit directory

Directory in the units system directory that contains [configuration blocks](#) and other files for a unit.

Unit tag ID

Tag ID that is assigned to a unit in GENIUS TOOLS Project Configurator.

Unit type

Individually defined category for units, for better representation in GENIUS TOOLS Project Configurator.

User group

A defined group of configured Windows users. Contains settings in which the users' configuration differs from the general system-wide configuration.

Windchill

Software product by PTC for managing product data over the entire product life cycle.

12 Copyright

Copyright 2022 by:

INNEO Solutions GmbH

Rindelbacher Str. 42

73479 Ellwangen

Germany

This documentation is protected by copyright. All rights reserved.

Without prior written consent of an authorized representative of INNEO Solutions GmbH it must not be copied, photocopied, reproduced, translated, communicated or converted to electronic or machine readable form in whole or in part.

The unauthorized use of the documentation can lead to a claim for liquidated damages or legal prosecution. INNEO Solutions GmbH does not accept liability for possible faulty information in this documentation and the consequences resulting from such.

Note on registered trademarks:

Most of the software, hardware and trade names mentioned in this documentation are also registered trademarks of the respective software manufacturers.

Registered trademarks and trade names of INNEO Solutions GmbH:

GENIUS TOOLS, Startup TOOLS, INNEO